

Office of the Superintending Engineer

Public Health Division, BBSR-751007

Phone/FAX- 0674-2540578(O) / e-mail- ephiiibbsr@gmail.com

No. 11778 /Date. 16.09.2021

To

Archid Builders Pvt. Ltd  
M.D : Sri Bandan Mohanty  
Plot No. 315, 4<sup>th</sup> floor,  
Archid Central, District Centre,  
Bhubaneswar,  
Dist:- Khordha

Sub: Issue of NOC for Water Supply & Sewerage Connection to the proposed B+S+5 Storied Residential Building over Rev. Plot No. 3028, 3029, 3030 & 3035 in Mouza Sankarpur & Plot No. 312, 312/1806, 311/2386/3692, 311/2386, in Mouza: Patrapara Bhubaneswar


Ref:- Your application on dated.21.08.2021.

Sir,

This Department has no Objection to have your own Sewerage system in the vicinity of your proposed B+S+5 Storied Residential Building over plot no. mentioned above as there is no Public sewerage disposal system of WATCO at present in the vicinity of your above project site. However, when the public sewerage system of WATCO will be available adjacent to your proposed project site in future. You should avail the facility by making payment towards scrutiny and security fees required for Sewerage connection as per the Odisha Water Works (Urban Local Body) Rule 1980 as amended from time to time. Besides the water supply connection can be provided to the above mentioned project from the existing water supply pipe line of WATCO. The No Objection Certificate for own sewerage disposal system is issued subject to fulfilment of the following conditions.


- 1) After getting approval from BMC planning you will take W/S connection observing all the formalities as per water work rule-1980 as amended from time to time.
- 2) The treated effluent quality of sewerage shall confirm to the effluent standard stipulated by the State / Central Pollution Control Board & relevant B.I.S specification.
- 3) Under no circumstances effluent of septic tank is to be discharged into the existing natural Nullah / water body. You should construct a captive Sewerage Treatment Plant of minimum liquid treatment capacity of **38.0 cum/ day** as per the requirements stipulated in CPHEEO manual.
- 4) You should also ensure that under no circumstances the environment is polluted due to non functioning / under performance of your sewerage system.
- 5) Non-compliance to the above conditions as well as deviation to the undertaking furnished in the form of affidavit shall make you liable for action by the competent authority as per existing laws / rules of Govt. Statutory authority.

Yours faithfully,

  
Superintending Engineer,  
P.H. Division, Bhubaneswar.  
11/9  
16/9

Memo No. 11779 /dt. 16.09.2021

Copy submitted to the Additional Chief Engineer, P.H. Circle, Bhubaneswar for favour of kind information.

  
Superintending Engineer, (P.H.)  
16/9

Memo No. 11780 /dt. 16.09.2021

Copy submitted to the City Planner, Bhubaneswar Municipal Corporation, (BMC) Bhubaneswar for information. The building plan may please be approved only after submission of the detailed design & drawing of sewerage treatment plant & sewerage system of desired capacity duly authenticated by any registered PHED consultant.

  
Superintending Engineer, (P.H.)  
16/9


Memo No. 11781 /dt. 16.09.2021

Copy forwarded to the Executive Engineer, Bhubaneswar Municipal Corporation, Division-I, Bhubaneswar for information.

  
Superintending Engineer, (P.H.)  
16/9


Memo No. 11782 /dt. 16.09.2021

Copy to the General Manager, WATCO Division-I, Bhubaneswar for information with reference to his letter No.6680 dated. 14.09.2021.

  
Superintending Engineer, (P.H.)  
16/9

Memo No. 11783 /dt. 16.09.2021

Copy forwarded to the Sr. Environment Engineer, State Pollution Control Board, A/118, Parivesh Bhawan, Nilakanha Nagar, Bhubaneswar for information.

  
Superintending Engineer, (P.H.)  
16/9